




FACILITY PAY AND THIRD-PARTY PAYOR COVERAGE PROTOCOLS

At the Facility's request and in collaboration with UnitedRx Pharmacy, the following Payer Preference Protocols have been reviewed and adopted for its Facilities. Each interchange protocol sets forth criteria that must be satisfied for a therapeutic interchange to take place. The preference protocols are only available between medications that offer comparable effectiveness, safety, and tolerability. Brand and generic versions of listed medications may be subject to interchange. The determination of which medication will be dispensed will be based on the patient's payer's coverage preference. When the Facility is the Payor, the Facility's current medication preference is listed in bold but is subject to change.

AGREE TO ALL INTERCHANGES



Therapeutic Category	Medication to be Dispensed	I agree to interchange
Alpha 1 Blocker	Silodosin, Tamsulosin , Alfuzosin	
Proton Pump Inhibitors (Oral)	Esomeprazole, Lansoprazole, Pantoprazole, Dexlansoprazole, Rabeprazole, Omeprazole , Omeprazole OTC, Lansoprazole OTC, Esomeprazole OTC 24-Hour, Zegerid®	
Proton Pump Inhibitors (Soluble)	pantoprazole granules, lansoprazole ODT, esomeprazole packets, first omeprazole solution, first lansoprazole solution, omeprazole granules, Zegerid® powder packets, omeprazole ODT	
Ulcer Agents	Sucralfate tablets , Sucralfate suspension	
Overactive Bladder (OAB)	Tolterodine, Tolterodine LA, Ditropan®, Vesicare®, Toviaz®, Myrbetriq®, Sanctura®, Sanctura®XR, darifenacin, Gelnique®, oxybutynin ER , Oxytrol®, Gemtesa®	
Corticosteroid, Nasal	Fluticasone , Nasonex®, Omnaris®, Zetonna®, Beconase AQ®, Qnasl®, Budesonide (Nasal), Flunisolide (Nasal), Xhance®, Flonase Sensimist®, Triamcinolone (Nasal), Olopatadine Nasal	
NSAIDs	Diclofenac Tablets , Zorvolex® capsules	
NSAIDs, topical	Pennsaid® solution, Diclofenac solution	
NSAIDs (COX-2) Selective	Celecoxib, Vivlodex®, meloxicam	
Salicylates	Aspirin EC , Vazalore®, Durlazza®	
Low Molecular Weight Heparins	Enoxaparin , Arixtra®, Fragmin®	
Erythroid Stimulating Agents	Procrit®, Epogen®, Aranesp®, Retacrit®	
Insulins- Aspart and Lispro Mixed	Humalog® Mix 75/25 vial or pen / Novolog® Mix 70/30 vial or pen- Unit for Unit	

Insulins- Basal (long acting)	Lantus®/Levemir®/Basaglar®/Tresiba®/Semglee®/Toujeo®/Insulin Glargine Vial or Pen- Unit for Unit	
Insulins- Intermediate-Acting (NPH)	Humulin®(NPH) vial or pen/ Novolin®(NPH) vial or pen- Unit for Unit	
Insulins- NPH and Regular Mixed	Humulin® 70/30 vial or pen/ Novolin® 70/30 vial or pen- Unit for Unit	
Insulins- Rapid Acting	Humalog®/Novolog®/Fiasp®/Admelog®/Apidra®/InsulinLispro®/Insulin Aspart® Vial or Pen- Unit for Unit/Lyumjev	
Insulins- Short-Acting (regular)	Humulin®R/Novolin®R Unit for Unit	
GLP-1 Glucagon-Like Peptide-1 Receptor Agonist	Byetta®, Bydureon®, Bydureon® Pen, Victoza®, Trulicity® , Adlyxin®, Ozempic®	
Metformin	Glucophage®XR, Fortamet®, Glumetza®, metformin oral solution, metformin IR	
DPP-4 Dipeptidyl Peptidase-4 Inhibitors	Nesina® , Onglyza®, Januvia®, Tradjenta®	
DPP-4 Inhibitors Combo	Jentadueto ER , Jentadueto IR	
SGLT2 Inhibitors	Steglatro® , Farixga®, Jardiance®, Invokana®	
Anti-infective (Antiseptic), Topical	mupirocin ointment , Altabax® 1% ointment, Bactroban®, Centany®, Bactroban Nasal®	
5 Alpha-Reductase Inhibitor	Dutasteride, Finasteride	
Opioid Antagonist, Peripherally-Acting	Relistor®, Movantik® , Symproic®	
Short-Acting Beta2 Agonists (SABA), Inhaled	Ventolin®HFA, ProAir® HFA (Albuterol 8.5g), ProAir® RespiClick, ProAir® Digihaler; Proventil® HFA;Xopenex® HFA; Albuterol HFA	
Short-Acting Beta 2 Agonist (SABA), Nebulized	Levalbuterol Neb Solution, Albuterol Neb Solution	
Corticosteroid/LABA Combinations, Inhaled	Fluticasone/Salmeterol , Advair®HFA, Budesonide/Formoterol, Breo® Ellipta®, Dulera®, Airduo®, Wixela®	
Long-Acting Beta2 Agonists (LABA), Neb	Brovana®, Perforomist®	
Anticholinergics, Inhaled	Incruse Ellipta® , Spiriva® Respimat, Spiriva® Handihaler, Tudorza®; <i>scheduled</i> Atrovent HFA (excluding PRN-only dosing), Lonhala Magnair®, Yupelri®	
Long-Acting Beta2 Agonist (LABA) / Anticholinergic, Inhaled	Anoro Ellipta® , Stiolto®, Bevespi®, Combivent Respimat® Scheduled, Duaklir Pressair®	
Long-Acting Beta2 Agonists (LABA), Inhaler	Striverdi® , Serevent®	
Corticosteroids, Inhaled	Arnuity Ellipta®, Flovent Diskus®, Flovent HFA®, Qvar RediHaler®, Pulmicort Flexhaler®; Alvesco®, Asmanex®, Asmanex HFA®, Armonair Digiclick®, Fluticasone HFA	
Theophylline	Theophylline CR , Theo-24	
Bisphosphonate Derivative	Ibandronate, Alendronate , Binostro®, Risedronate IR, Risedronate DR	
Corticosteroids, Topical	Triamcinolone, Sila III Pak®, Tritocin®, Triderm®, Triamcinolone	

Corticosteroids, Topical	Desonide 0.05% Ointment, Desonide 0.05% Gel, Desonide 0.05% Cream, Verdeso® 0.05% Foam, Desonide 0.05% Lotion	
Vaginal Products	Premarin 0.625mg Vaginal Cream®, Estrace 0.01% Vaginal Cream® Estradiol 0.01% Vaginal Cream	
Interferon Beta 1b	Betaseron®, Extavia®	
Glatiramer Acetate	Copaxone®, Glatopa®, Glatiramer Acetate	
ACE Inhibitors	Fosinopril, Moexipril, Perindopril, Quinapril, Ramipril, Trandolapril, Lisinopril	
Angiotensin II Receptor Blockers	Losartan , Azilsratan, Candesartan, Irbesartan, Olmesartan, Telmisartan, Valsartan	
Angiotension Receptor Blocker with HCTZ	Micardis HCT®, Diovan HCT®, Teveten HCT®, Benicar HCT®, Atacand HCT®, Avalide®, Edarbyclor® Losartan/HCTZ	
Diltiazem CD (generic)	Once-A-Day diltiazem LA caps/ tabs - Diltiazem CD ; Matzim LA	
Carvedilol, oral	carvedilol CR, carvedilol	
HMG-CoA Reductase Inhibitor	atorvastatin , Ezallor® Sprinkle, Rosuvastatin, Livalo®, Vytorin®, Altoprev®, Fluvastatin ER, Zypitamag®	
Fibrate	fenofibrate tablets, fenofibrate caps , Lipofen®, Triglide®, Antara®, Trilipix®, Fibricor®, Fenoglide®	
Omega 3 Fatty Acid	Lovaza® , Vascepa®	
Vitamin D Analog	Doxercalciferol, Paricalcitol	
Megestrol Suspension	megestrol acetate liquid , Megace® ES	
Colony Stimulating Factors	Neupogen®, Granix®, Zarxio®, Nivestym®	
Fluoxetine, oral	Fluoxetine tablets; Fluoxetine caps	
Venlafaxine, oral	Venlafaxine ER tabs, Venlafaxine XR caps	
Quetiapine, oral	Quetiapine ER, Quetiapine	
Selective Serotonin Reuptake Inhibitors (SSRI)	Paroxetine , Brisdelle, Pexeva	
Duloxetine	Duloxetine , Drizalma Sprinkle®	
Bupropion	Bupropion SR , Auvelity ER	
Desvenlafaxine	Desvenlafaxine ER , Pristiq	
Guanylate Cyclase- C Agonist	Linzess®, Trulance®, Amitiza®	
Inflammatory Bowel Disease	Pentassa®, Mesalamine ER	
Ondansetron, oral	ondansetron tablet , disintegrating tablet, Zuplenz®, prochlorperazine maleate tablets	
Doxycycline	doxycycline salts tabs/ caps- doxycycline capsules	
Cephalexin, oral	Cephalexin tablets, Cephalexin capsules	

Oral Vancomycin	Firvanq vancomycin oral solution, Vancomycin (Vancocin®) capsules, First Vancomycin Solution	
Urinary Antiseptic	Nitrofurantoin (Macrochantin) capsules , Nitrofurantoin 25mg/5mL suspension	
NMDA Receptor Antagonist	Memantine , Memantine XR	
Antigout Agent	Febuxostat, Allopurinol	
Antifungal, Topical	Econazole, ketoconazole, miconazole, clotrimazole	
Antifungal Corticosteroid combination	Nystatin/Triamcinolone Cream, Clotrimazole/Betamethasone Cream	
Antifungal, Topical	Ketoconazole Shampoo , Ketoconazole Foam	
Hydrocortisone (topical)	Hydrocortisone lotion , Ala Scalp 2%	
Hydrocortisone (topical)	Hydrocortisone cream 2.5% ,	
Acyclovir (topical)	Acyclovir 5% Ointment , Acyclovir 5% cream	
Antiseborrheic products	Sodium Sulfacetamide 10% lotion , Ovace plus 10% Cream/Gel/Shampoo Liquid wash; Ovace 9.8% Foam/Lotion	
Dermatological	Dermaseptin , Epiceram	
Lidocaine Patch	Lidocaine 5% patch, Lidocaine 4% patch	
Epinephrine, injection	EpiPen® 0.3mg/0.3mL, Epinephrine 0.3mg/0.3mL , Auvi-Q® 0.3mg/0.3mL, Adrenaclick® 0.3mg/0.3mL	
Phosphate Binders, Renal	Sevelamer Carbonate, Sevelamer HCl, Auryxia®, Calcium Acetate	
Phosphate Binders (non-calcium), Renal CHEW	Lanthanum ; Velphoro® 500mg Chewable Tab	
Colchicine	Colcrys®, Mitigare®, Colchicine	
Cholinesterase Inhibitors	Donepezil ; Rivastigmine, Galantamine SR, Galantamine	
Potassium Chloride	Potassium Chloride Tablets , Potassium Chloride Capsules	
Potassium Chloride	Klor-Con Powder Packets, Potassium Chloride powder packets	
Potassium Removing Agents	Lokelma® , Veltassa ®	
Hypoglycemia	Baqsimi® Nasal Powder, Gvoke PFS, GlucaGen Hypokit, Glucagon Kit	
Amantadine	Gocovri®, Osmolex ER®, Amantadine capsules, Amantadine tablets	
Bone Density Regulators	Tymlos®, Forteo®, Teriparatide, Prolia®	
Laxatives	Lactulose , Kristalose Packets®	
Iron	Ferrex 150 Forte , Niferex tablets	

Iron Liquid	Ferrous Sulfate Elixir 220mg/5mL , Ferrous Sulfate Syrup 300mg/5mL	
Nasal antihistamine	Azelastine HCl Nasal Spray 0.1% , Azelastine HCl Nasal 0.15%	
Thyroid Hormone	Levothyroxine tablets , Tirosint®	
VMAT2 inhibitors	Austedo®, Ingrezza® Tetrabenazine	
Metoprolol	Kaspargo Sprinkle®, Metoprolol Tartrate	
Sotalol	Sotalol , Sotalol AF, Sotylize	
Tizanidine	Tizanidine capsules, Tizanidine tablets	
Urinary Analgesics	Pyridium®, Elmiron®, Phenazopyridine	
Pulmonary Hypertension	Sildenafil tablet , Sildenafil suspension, Revatio®	
Antispasmodics	Glycopyrrolate , Glycopyrrolate oral solution	
Timolol Ophthalmic	Betimol®, Timoptic XE® 0.5% Gel, Timolol Ophthalmic	
Beta Blocker Combo, Ophthalmic	Cosopt PF, Dorzolamide/Timolol	
Alpha Agonist, Ophthalmic	AlphaganP ®0.1%, 0.15%, Brimonidine tartrate 0.2%	
Prostaglandin Analogue, Ophthalmic	bimatoprost, latanoprost , Travatan ® Z, Zioptan®, Vyzulta®	
Carbonic Anhydrase Inhibitor, Ophthalmic	Azopt®, dorzolamide	
Corticosteroid/Aminoglycoside Antibiotic, Ophthalmic	TobraDex®, Maxitrol®	
Antihistamine, Ophthalmic	azelastine, Pataday®, Patanol®, Bepreve®, Ketotifen	
Integrin Antagonist	Artificial Tears , Xiidra®	
Anticonvulsants Oxcarbazepine	Oxcarbazepine , Oxtellar XR®	
Anticonvulsants Topamax	Topiramate , Trokendi®, Qudexy XR®	
Syndrome of Inappropriate Antidiuretic Hormone (SIADH)	Demeclocycline , Samsca®, Ure-NA®	
Folate Analog	Methotrexate , Trexall	
Opiate Antagonist	Naloxone 0.4mg/ml inj , Narcan Nasal Spray	

By signing below, I authorize Pharmacy to dispense the appropriate medications following the Payor's preferences. I may override this interchange authorization for a specific patient by indicating "Do Not Interchange" I understand and acknowledge that "Dispense as Written" (DAW) has a different meaning than "Do Not Interchange." "Do Not Interchange" communicates to the Pharmacy that the ordered medication's equivalent generic product may be dispensed. The Pharmacy should not interchange between different drug products, according to the formulary's equivalency tables. Additionally, I may discontinue using one or more Protocols at any time by sending a written request to such effect to the Facility and the Pharmacy. I acknowledge that the automatic interchange to the Payor's preferred drug will only occur at the time of dispensing when a prescribing clinician approves the use of a specific Coverage Protocol for his or her residents in our facilities. When interchanging to the formulary preferred drug, appended dosing tables will determine the



appropriate dose to dispense. Execution may be limited based on one or more of the following, including but not limited to: setup capabilities, allergies, prescriber request, pharmacist clinical judgment. I hereby approve Pharmacy making available the Payor Preference Protocols that I have agreed to above for potential use. I authorize Pharmacy to update any medication order, as needed, to achieve the lowest pill burden for a given patient by optimizing the strength of the medication product to be dispensed without altering the ordered dose or frequency. (Example: 25mg tablets: Take three tablets BID will be subjected to the following order update by Pharmacy: 75mg tablets- Take one tablet BID. The Pharmacy will be responsible for timely communication of any/all order updates to the Facility.

I authorize UnitedRx to submit prior authorizations to the patient's insurance plan as an agent of, or on behalf of myself as the practitioner for the patients I service.

Facility Name _____

Prescribers Name (print) _____

Prescribers Signature _____

SCAN PAGES 1-6 and Email Back to: hwwang@unitedrx.net

The Facility should keep a signed hardcopy for their record.

ALPHA-1 BLOCKERS IN BENIGN PROSTATIC HYPERPLASIA

Proposed Interchange Table	TO	Proposed Interchange Table
Silodosin 4 - 8mg daily; Alfuzosin 10mg daily; Tamsulosin 0.4mg daily	↔	Silodosin 4 - 8mg daily; Alfuzosin 10mg daily; Tamsulosin 0.4mg daily

PROTON PUMP INHIBITOR (PPI)

Proposed Interchange Table	TO	Proposed Interchange Table
Lansoprazole 15 mg Lansoprazole OTC 15mg Rabeprazole 20mg Esomeprazole 20 mg Esomeprazole OTC 20mg Dexlansoprazole 30mg Omeprazole 20mg DR capsules Pantoprazole 20mg Omeprazole 20.6mg DR caps, as magnesium (OTC) Omeprazole/Sodium Bicarbonate capsule 20mg/1100mg once daily	↔	Lansoprazole 15 mg Lansoprazole OTC 15mg Rabeprazole 20mg Esomeprazole 20 mg Esomeprazole OTC 20mg Dexlansoprazole 30mg Omeprazole 20mg DR capsules Pantoprazole 20mg Omeprazole 20.6mg DR caps, as magnesium (OTC) Omeprazole/Sodium Bicarbonate capsule 20mg/1100mg once daily
Lansoprazole 30mg Esomeprazole 40 mg Dexlansoprazole 60mg Pantoprazole 40mg Omeprazole 40mg Omeprazole 20mg DR caps, as magnesium (OTC)- 2 capsules Omeprazole/Sodium Bicarbonate capsule 40mg/1100mg once daily	↔	Lansoprazole 30mg Esomeprazole 40 mg Dexlansoprazole 60mg Pantoprazole 40mg Omeprazole 40mg Omeprazole 20.6mg DR caps, as magnesium (OTC)- 2 capsules Omeprazole/Sodium Bicarbonate capsule 40mg/1100mg once daily
Protonix Pak – granules 40mg Prilosec granules for oral suspension 2.5mg, 10mg Omeprazole/Sodium Bicarbonate powder 20mg/1680mg once daily Lansoprazole ODT 15mg First Lansoprazole solution, 3mg/ml Esomeprazole Packet 2.5mg OR 5mg OR 10mg OR 20mg First Omeprazole oral solution, 2mg/ml Omeprazole Oral Disintegrating 20mg tabs	↔	Protonix Pak – granules 40mg Prilosec granules for oral suspension 2.5mg, 10mg Omeprazole/Sodium Bicarbonate powder 20mg/1680mg once daily Lansoprazole ODT 15mg First Lansoprazole solution, 3mg/ml Esomeprazole Packet 2.5mg OR 5mg OR 10mg OR 20mg First Omeprazole oral solution, 2mg/ml Omeprazole Oral Disintegrating 20mg tabs

Omeprazole/Sodium Bicarbonate powder 40mg/1680mg once daily Lansoprazole solutabs 30mg Omeprazole ODT 20mg- 2 tabs (40mg)	↔	Omeprazole/Sodium Bicarbonate powder 40mg/1680mg once daily Lansoprazole solutabs 30mg Omeprazole Oral Disintegrating 20mg- 2 tabs(40mg)
---	---	---

ULCER AGENT

Proposed Interchange Table	TO	Proposed Interchange Table
Sucralfate suspension 1gm/10mL (same dose and frequency)	↔	Sucralfate 1 gram tab (same dose and frequency)

OVERACTIVE BLADDER / URINARY INCONTINENCE

Proposed Interchange Table	TO	Proposed Interchange Table
Oxybutynin Immediate-Release 5mg 1 – 3 x daily	↔	Oxybutynin ER 5mg daily
Oxybutynin Immediate-Release 5mg 4 x daily	↔	Oxybutynin ER 10mg daily
Trospium (Sanctura®) 20mg once daily	↔	Oxybutynin ER 5 mg daily
Trospium (Sanctura®) 20mg twice daily	↔	Oxybutynin ER 10mg daily
Trospium XR (Sanctura XR®) 60mg daily	↔	Oxybutynin ER 10mg daily
Solifenacin (Vesicare®) 5mg daily	↔	Oxybutynin ER 5mg daily
Solifenacin (Vesicare®) 10mg daily	↔	Oxybutynin ER 10 mg daily
Tolterodine (Detrol®) 1mg twice daily	↔	Oxybutynin ER 5mg daily
Tolterodine (Detrol®) 2mg twice daily	↔	Oxybutynin ER 10mg daily
Tolterodine LA (Detrol LA®) 2mg daily	↔	Oxybutynin ER 5mg daily
Tolterodine LA (Detrol LA®) 4mg daily	↔	Oxybutynin ER 10mg daily
Fesoterodine (Toviaz®) 4mg daily	↔	Oxybutynin ER 5mg daily
Fesoterodine (Toviaz®) 8mg daily	↔	Oxybutynin ER 10mg daily
Oxybutynin (Gelnique®) Gel 10%	↔	Oxybutynin ER 5mg daily
Oxybutynin (Oxytrol®) Patch 3.9mg/24 hour	↔	Oxybutynin ER 5mg daily
Darifenacin (Enablex®) 7.5mg daily	↔	Oxybutynin ER 5mg daily
Darifenacin (Enablex®) 15mg daily	↔	Oxybutynin ER 10mg daily

Mirabegron (Myrbetriq®) 25mg daily	↔	Oxybutynin ER 10mg daily
Mirabegron (Myrbetriq®) 50mg daily	↔	Oxybutynin ER 10mg daily
Vibegron (Gemtesa®) 75mg daily	↔	Oxybutynin ER 10mg daily

NASAL CORTICOSTEROIDS

Proposed Interchange Table	TO	Proposed Interchange Table
Mometasone furoate (Nasonex®) 50mcg	↔	Fluticasone propionate 50mcg 2 sprays into each nostril once daily
Budesonide (Rhinocort Aqua®) 32mcg	↔	Fluticasone propionate 50mcg 2 sprays into each nostril once daily
Ciclesonide (Omnaris®) 50mcg	↔	Fluticasone propionate 50mcg 2 sprays into each nostril once daily
Ciclesonide (Zetonna®) 37mcg	↔	Fluticasone propionate 50mcg 2 sprays into each nostril once daily
Beclomethasone (Beconase AQ®; Qnasl®)	↔	Fluticasone propionate 50mcg 2 sprays into each nostril once daily
Flunisolide 25mcg	↔	Fluticasone propionate 50mcg 1 spray each nostril twice daily
Triamcinolone (Nasacort®)	↔	Fluticasone propionate 50mcg 1 spray each nostril twice daily
Xhance® 93mcg, Flonase Sensimist®	↔	Fluticasone propionate 50mcg 1 spray each nostril twice daily
Olopatadine (Patanase®) 665mcg	↔	Fluticasone propionate 50mcg 1 spray each nostril twice daily

NSAIDs (DICLOFENAC)

Proposed Interchange Table	TO	Proposed Interchange Table
Diclofenac Sodium DR tab 25mg (same frequency) Zorvolex® cap 18mg (same frequency)	↔	Diclofenac Sodium DR tab 25mg (same frequency) Zorvolex® cap 18mg (same frequency)
Diclofenac Sodium DR tab 50mg (same frequency) Zorvolex® cap 35mg (same frequency)	↔	Diclofenac Sodium DR tab 50mg (same frequency) Zorvolex® cap 35mg (same frequency)

NSAIDs TOPICAL (DICLOFENAC)

Proposed Interchange Table	TO	Proposed Interchange Table
Diclofenac solution 1.5% (same sig) Pennsaid® solution 2% (same sig)	↔	Diclofenac solution 1.5% (same sig) Pennsaid® solution 2% (same sig)

NONSTEROIDAL ANTIINFLAMMATORY AGENTS – COX-2 SELECTIVE

Proposed Interchange Table	TO	Proposed Interchange Table
Celecoxib (Celebrex®) 100mg twice daily	↔	Meloxicam 7.5mg once daily
Celecoxib (Celebrex®) 200mg once daily	↔	Meloxicam 7.5mg once daily
Celecoxib (Celebrex®) 200mg twice daily	↔	Meloxicam 7.5mg once daily
Celecoxib (Celebrex®) 200mg 2 once daily	↔	Meloxicam 7.5mg once daily
Celecoxib (Celebrex®) 400mg once daily	↔	Meloxicam 7.5mg once daily
Meloxicam (Vivlodex®) 5mg once daily	↔	Meloxicam 7.5mg once daily
Meloxicam (Vivlodex®) 10mg once daily	↔	Meloxicam 15mg once daily

SALICYLATES

Proposed Interchange Table	TO	Proposed Interchange Table
Vazalore® capsules 81mg once daily	↔	ASA EC 81mg once daily
Vazalore® capsules 325mg once daily	↔	ASA EC 325mg once daily
Durlazza® capsules 162.5mg once daily	↔	ASA 81mg, 2 tablets once daily

LOW MOLECULAR WEIGHT HEPARINS

Proposed Interchange Table	TO	Proposed Interchange Table
Arixtra 2.5mg Fragmin 2,500 Units	↔	Enoxaparin 30mg SC once daily

Arixtra 5mg Fragmin 5,000 Units	↔	Enoxaparin 40mg SC once daily
Fragmin 7,500 Units	↔	Enoxaparin 60mg SC once daily
Arixtra 7.5mg Fragmin 10,000 Units	↔	Enoxaparin 80mg SC once daily
Arixtra 10mg	↔	Enoxaparin 100mg SC once daily
Fragmin 15,000 Units	↔	Enoxaparin 120mg SC once daily
Fragmin 18,000 Units	↔	Enoxaparin 150mg SC once daily

ERYTHROID STIMULATING AGENTS (ESAs)

Proposed Interchange Table	TO	Proposed Interchange Table
Procrit, Epogen 2000 units/ml vial (any dose/sig); Retacrit 2000 units/ml vial (any dose/sig)	↔	Procrit, Epogen 2000 units/ml vial (any dose/sig); Retacrit 2000 units/ml vial (any dose/sig)
Procrit, Epogen 3000 units/ml vial (any dose/sig); Retacrit 3,000 units/ml vial (any dose/sig)	↔	Procrit, Epogen 3000 units/ml vial (any dose/sig); Retacrit 3,000 units/ml vial (any dose/sig)
Procrit, Epogen 4000 units/ml vial (any dose/sig); Retacrit 4,000 units/ml vial (any dose/sig)	↔	Procrit, Epogen 4000 units/ml vial (any dose/sig); Retacrit 4,000 units/ml vial (any dose/sig)
Procrit, Epogen 10,000 units/ml vial (any dose/sig); Retacrit 10,000 units/ml vial (any dose/sig)	↔	Procrit, Epogen 10,000 units/ml vial (any dose/sig); Retacrit 10,000 units/ml vial (any dose/sig)
Procrit, Epogen 20,000 units/ml vial (any dose/sig) Retacrit 10,000 units/ml, 2 vials (any dose/sig)	↔	Procrit, Epogen 20,000 units/ml vial (any dose/sig) Retacrit 10,000 units/ml, 2 vials-20,000 units (any dose/sig)
Procrit, Epogen 40,000 units/ml vial (any dose/sig); Retacrit 40,000 units/ml vial (any dose/sig)	↔	Procrit, Epogen 40,000 units/ml vial (any dose/sig); Retacrit 40,000 units/ml vial (any dose/sig)
Retacrit 2,000 units weekly Aranesp 6.25mcg weekly	↔	Retacrit 2,000 units/mL weekly Aranesp 6.25mcg weekly
Retacrit 3,000 units weekly Aranesp 12.5mcg weekly	↔	Retacrit 3,000 units weekly Aranesp 12.5mcg weekly
Retacrit 6,000 units weekly (dispense 2 x 3,000 units) Aranesp 25mcg weekly	↔	Retacrit 6,000 units weekly (dispense 2 x 3,000 units)

		Aranesp 25mcg weekly
Retacrit 14,000 units weekly (dispense 1x 10,000 units & 1X 4,000units) Aranesp 40mcg weekly	↔	Retacrit 14,000 units weekly (dispense 1x 10,000 units & 1X 4,000units) Aranesp 40mcg weekly
Retacrit 20,000 units weekly Aranesp 60mcg weekly	↔	Retacrit 20,000 units weekly Aranesp 60mcg weekly
Retacrit 40,000 units weekly (dispense 2 x 20,000 units) Aranesp 100mcg weekly	↔	Retacrit 40,000 units weekly (dispense 2 x 20,000 units) Aranesp 100mcg weekly

INSULIN

Proposed Interchange Table	TO	Proposed Interchange Table
Humalog®, Lispro, Novolog®, Aspart, Apidra®, Fiasp®, Admelog®, Lyumjev® 3 or 10 mL vial or pen 100 units/mL	↔	Humalog®, Lispro, Novolog®, Aspart, Apidra®, Fiasp®, Lyumjev®, Admelog® 3mL or 10 mL vial or pen 100 units/mL
Novolog 70/30 Mix® 10 mL vial or Flextouch, Humalog 75/25 Mix® vial or Kwikpen 100 units/mL	↔	Novolog 70/30 Mix® 10 mL vial or Flextouch, Humalog 75/25 Mix® vial or Kwikpen 100 units/mL
Novolin® 70/30 10 mL vial 100 units/mL	↔	Humulin® 70/30 3 mL vial on a unit for unit basis 100 units/mL
Novolin® R 10 mL vial or FlexPen 100 units/mL	↔	Humulin® R 3 mL vial on a unit for unit basis, 100 units/mL
Novolin® N 10 mL vial 100 units/mL	↔	Humulin® N 3 mL vial on a unit for unit basis, 100 units/mL
Lantus®; Glargine Vial or Pen; Levemir®; Detemir; Vial or Pen or Basaglar® Glargine Pen Tresiba® Vial or FlexTouch Pen Semglee® Vial or Pen Toujeo® Pen Insulin Glargine Pen or Vial	↔	Lantus®; Glargine Vial or Pen; Levemir®; Detemir; Vial or Pen or Basaglar® Glargine Pen Tresiba® Vial or FlexTouch Pen; Semglee® 10ml vial or pen Toujeo® Pen Insulin Glargine Pen or Vial

GLP-1 (GLUCAGON-LIKE PEPTIDE-1 RECEPTOR) ANTAGONIST

Proposed Interchange Table	TO	Proposed Interchange Table
Exenatide (Byetta®) 5mcg SubQ BID; Exenatide (Bydureon®) 2mg SubQ every 7 days; Exenatide Pen (Bydureon® Pen) 2mg SubQ every 7 days; Liraglutide (Victoza®) 0.6mg SubQ once daily;	↔	Exenatide (Byetta®) 5mcg SubQ BID; Exenatide (Bydureon®) 2mg SubQ every 7 days; Exenatide Pen (Bydureon® Pen) 2mg SubQ every 7 days; Liraglutide (Victoza®) 0.6mg SubQ

Semaglutidie (Ozempic®) 0.5mg SubQ weekly Adlyxin® 20mcg SubQ daily Trulicity® SubQ 0.75mg once weekly		once daily; Semaglutidie (Ozempic®) 0.5mg SubQ every 7 days Adlyxin® 20mcg SubQ daily Trulicity® SubQ 0.75mg once weekly
Exenatide (Byetta®) 10mcg SubQ BID Liraglutide (Victoza®) 1.2mg – 3mg SubQ once daily; Semaglutidie (Ozempic®) 1mg SubQ weekly Trulicity® SubQ 1.5mg once weekly	↔	Exenatide (Byetta®) 10mcg SubQ BID Liraglutide (Victoza®) 1.2mg – 3mg SubQ once daily; Semaglutidie (Ozempic®) 1mg SubQ weekly Trulicity® SubQ 1.5mg once weekly

METFORMIN, EXTENDED-RELEASE INTERCHANGE

Proposed Interchange Table	TO	Proposed Interchange Table
Metformin ER (Fortamet®, Glucophage XR®) 500 mg once daily	↔	Metformin 500 mg once daily with a meal
Metformin ER (Fortamet®, Glucophage XR®) 500 mg twice daily	↔	Metformin 500 mg twice daily with meals
Metformin ER modified release (Glumetza®) 500 mg once daily	↔	Metformin 500 mg once daily with a meal
Metformin ER modified release (Glumetza®) 500 mg twice daily	↔	Metformin 500 mg twice daily with meals
Metformin ER (Fortamet®) 1000 mg once daily	↔	Metformin 500 mg twice daily with meals
Metformin ER (Fortamet®) 1000 mg twice daily	↔	Metformin 1000 mg twice daily with meals
Metformin ER (Fortamet®) 1000 mg x2 (2000 mg) once daily	↔	Metformin 1000 mg twice daily with meals
Metformin ER modified release (Glumetza®) 1000 mg once daily	↔	Metformin 500 mg twice daily with meals
Metformin ER modified release (Glumetza®) 1000 mg twice daily	↔	Metformin 1000 mg twice daily with meals
Metformin ER modified release (Glumetza®) 1000 mg x2 (2000 mg) once daily	↔	Metformin 1000 mg twice daily with meals
Metformin ER (Glucophage XR®) 750 mg once daily	↔	Metformin 850 mg once daily with a meal
Metformin ER (Glucophage XR®) 750 mg twice daily	↔	Metformin 850 mg twice daily with meals
Metformin ER (Glucophage XR®) 750 mg x2 (1500 mg) once daily	↔	Metformin 850 mg twice daily with meals
Metformin Oral solution 500mg/5mL	↔	Metformin 500mg same dose and frequency

DPP-4 (DIPEPTIDYL PEPTIDASE-4) INHIBITORS

Proposed Interchange Table	TO	Proposed Interchange Table
Sitagliptin (Januvia) 100 mg once daily	↔	Alogliptin (Nesina) 25mg once daily
Sitagliptin (Januvia) 50 mg once daily	↔	Alogliptin (Nesina) 12.5mg once daily
Sitagliptin (Januvia) 25 mg once daily	↔	Alogliptin (Nesina) 6.25mg once daily
Saxagliptin (Onglyza) 5 mg once daily	↔	Alogliptin (Nesina) 25mg once daily
Saxagliptin (Onglyza) 2.5 mg once daily	↔	Alogliptin (Nesina) 6.25mg once daily
Linagliptin (Tradjenta) 5mg once daily	↔	Alogliptin (Nesina) 25mg once daily

DPP-4 (DIPEPTIDYL PEPTIDASE-4) INHIBITORS COMBINATION

Change This Product and Dose	TO	Proposed Interchange Table
Jentaduetto IR (same strength) twice daily	↔	Jentaduetto ER (same strength) once daily

SGLT2 INHIBITORS

Change This Product and Dose	TO	Proposed Interchange Table
Invokana® 100mg QD Farxiga® 5mg QD Jardiance® 10mg QD	↔	Steglatro® 5mg once daily
Invokana® 300mg QD Farxiga® 10mg QD Jardiance® 25mg QD		Steglatro® 15mg once daily

ANTI-INFECTIVE (ANTISEPTIC), TOPICAL

Proposed Interchange Table	TO	Proposed Interchange Table
Bactroban® 2% cream	↔	Mupirocin 2% ointment
Altabax® 1% ointment	↔	Mupirocin 2% ointment
Bactroban Nasal® 2%	↔	Mupirocin 2% ointment
Centany AT Kit ® 2% ointment	↔	Mupirocin 2% ointment

5-ALPHA – REDUCTATE INHIBITOR

Proposed Interchange Table	TO	Proposed Interchange Table
Dutasteride 0.5mg/day	↔	Finasteride 5mg/day

OPIOID RECEPTOR ANTAGONISTS FOR CONSTIPATION

Proposed Interchange Table	TO	Proposed Interchange Table
Relistor 150mg tab 3 tabs daily Movantik 25mg daily Symproic 0.2mg tab 1 tab daily	↔	Relistor 150mg tab 3 tabs daily Movantik 25mg daily; Symproic 0.2mg tab 1 tab daily.

SHORT ACTING BETA AGONIST INHALER SABA (Albuterol Products)

Proposed Interchange Table	TO	Proposed interchange Table
ProAir HFA® 90mcg inhaler ProAir RespiClick® 90mcg inhaler ProAir Digihaler 108mcg/act inhaler Proventil HFA® 90mcg inhaler Ventolin HFA 90mcg inhaler Xopenex HFA 45mcg inhaler Albuterol HFA 90mcg inhaler	↔	ProAir HFA® 90mcg inhaler ProAir RespiClick® 90mcg inhaler ProAir Digihaler 108mcg/act inhaler Proventil HFA® 90mcg inhaler Ventolin HFA 90mcg inhaler Xopenex HFA 45mcg inhaler Albuterol HFA 90mcg inhaler

SHORT-ACTING BETA AGONIST NEBULIZATION

Proposed Interchange Table	TO	Proposed Interchange Table
Xopenex®, Levalbuterol nebulization (0.31mg/3 mL);	↔	Albuterol nebulization (2.5mg/3mL)
Xopenex®, Levalbuterol nebulization (0.63mg/3 mL)	↔	Albuterol nebulization (2.5mg/3mL)
Xopenex®, Levalbuterol nebulization (1.25mg/3 mL)	↔	Albuterol nebulization (2.5mg/3mL)
Xopenex®, Levalbuterol nebulization (1.25mg/0.5mL)	↔	Albuterol nebulization (2.5mg/3mL)

CORTICOSTEROID / LABA COMBINATIONS, INHALED

Proposed Interchange Table	To	Proposed Interchange Table
Advair HFA 45/21mcg, 2 inhalations BID; Breo Ellipta 100/25mcg, 1 inhalation QD; Dulera 100/5mcg, 2 inhalations BID; Budesonide/Formoterol 80/4.5mcg 2 inhalation BID; AirDuo RespiClick or Digihaler 55/14mcg, 1 inh BID AirDuo RespiClick or Digihaler 113/14mcg, 1inh BID Fluticasone/Salmeterol 100/50mcg, 1 inh BID	↔	Advair HFA 45/21mcg, 2 inhalations BID Breo Ellipta 100/25mcg, 1 inhalation QD Dulera 100/5mcg, 2 inhalations BID Budesonide/ Formoterol 80/4.5mcg, 2 inhalation BID AirDuo RespiClick or Digihaler 55/14mcg, 1 inh BID AirDuo RespiClick or Digihaler 113/14mcg, 1inh BID Fluticasone/Salmeterol 100/50mcg 1 inh BID
Advair HFA 115/21mcg, 2 inhalations BID Breo Ellipta 200/25mcg, 1 inhalation QD; Dulera 200/5mcg, 2 inhalations BID Budesonide/ Formoterol 160/4.5mcg, 2 inhalations BID AirDuo RespiClick or Digihaler 232/14mcg, 1 inh BID Fluticasone/Salmeterol 250/50mcg 1 inh BID	↔	Advair HFA 115/21mcg, 2 inhalations BID Breo Ellipta 200/25mcg, 1 inhalation QD; Dulera 200/5mcg, 2 inhalations BID Budesonide/ Formoterol 160/4.5mcg, 2 inhalations BID AirDuo RespiClick or Digihaler 232/14mcg, 1 inh BID Fluticasone/Salmeterol 250/50mcg 1 inh BID
Advair HFA 230/21mcg, 2 inhalations BID	↔	Fluticasone/Salmeterol 500/50mcg 1 inh BID

LONG-ACTING BETA 2 AGONIST NEBULIZER

Proposed Interchange Table	TO	Proposed Interchange Table
Brovana®	↔	Perforomist®

ANTICHOLINERGICS, INHALED

Proposed Interchange Table	TO	Proposed Interchange Table
Atrovent HFA (scheduled dosing); Spiriva® Handihaler /Respimat; Tudorza Pressair® Lonhala Magnair® Yupelri® Incruse Ellipta® 1 puff daily	↔	Atrovent HFA; Spiriva® Handihaler / Respimat; Tudorza Pressair® Lonhala Magnair® Yupelri® Incruse Ellipta® 1 puff daily

LONG-ACTING BETA 2 AGONIST INHALER

Proposed Interchange Table	TO	Proposed Interchange Table
Serevent Diskus 1-2 inhalation daily-Q 12 hours; Striverdi Respimat 2 inhalations QD		Serevent Diskus 1-2 inhalation daily-Q 12 hours; Striverdi Respimat 2 inhalations QD

LONG-ACTING BETA 2 AGONIST & ANTICHOLINERGIC COMBINATION

Proposed Interchange Table	TO	Proposed Interchange Table
Combivent Respimat 1 inhalation BID-QID Stiolto 2 inhalations QD; Bevespi 2 inhalations BID; Duaklir Pressair 1 inhalation BID; Anoro Ellipta 1 inhalation QD		Combivent Respimat 1 inh BID-QID Stiolto 2 inhalations QD; Bevespi 2 inhalations BID; Duaklir Pressair 1 inhalation BID; Anoro Ellipta 1 inhalation QD

CORTICOSTEROIDS, INHALED

Proposed Interchange Table	TO	Proposed Interchange Table
Alvesco HFA 80mcg 1 inhalations BID Alvesco HFA 160mcg 1 inhalations BID Asmanex Twisthaler 220mcg 1 inhalation daily Asmanex HFA 100mcg 2 inhalations BID; Flovent Diskus 100mcg 1 inhalations BID Flovent HFA 44mcg 2 inhalations BID Pulmicort Flexhaler 180mcg 1 or 2 inhalations BID QVAR Redihaler 40mcg 2 inhalations BID QVAR Redihaler 80mcg 2 inhalations BID Armonair Digiclick 55mcg, 1 puff every 12 hours Arnuity Ellipta 100mcg 1 inhalation daily		Alvesco HFA 80mcg 1 inhalations BID Alvesco HFA 160mcg 1 inhalations BID Asmanex Twisthaler 220mcg 1 inhalation daily; Asmanex HFA 100mcg 2 inhalations BID; Flovent Diskus 100mcg 1 inhalations BID Flovent HFA 44mcg 2 inhalations BID; Pulmicort Flexhaler 180mcg 1 or 2 inhalations BID; QVAR Redihaler 40mcg 2 inhalations BID; QVAR Redihaler 80mcg 2 inhalations BID; Armonair Digiclick 55mcg, 1 puff every 12h Arnuity Ellipta 100mcg 1 inhalation daily
Alvesco HFA 160mcg 2 inhalations BID Asmanex Twisthaler 220mcg 2 inhalations daily Asmanex HFA 200mcg 2 inhalations BID Flovent Diskus 250mcg 1 inhalations BID Flovent Diskus 250mcg 2 inhalations BID Flovent HFA 110mcg 2 inhalations BID Flovent HFA 220mcg 2 inhalations BID Pulmicort Flexhaler 180mcg 4 inhalations BID QVAR Redihaler 80mcg 4 inhalations BID Armonair Digiclick 113mcg or 232mcg, 1 puff every 12 hours Arnuity Ellipta 200mcg 1 inhalation daily		Alvesco HFA 160mcg 2 inhalations BID Asmanex Twisthaler 220mcg 2 inhalations daily; Asmanex HFA 200mcg 2 inhalations BID; Flovent Diskus 250mcg 1 inhalations BID Flovent Diskus 250mcg 2 inhalations BID; Flovent HFA 110mcg 2 inhalations BID; Flovent HFA 220mcg 2 inhalations BID; Pulmicort Flexhaler 180mcg 4 inhalations BID QVAR Redihaler 80mcg 4 inhalations BID Armonair Digiclick 113mcg or 232mcg, 1

		puff every 12 hours Arnuity Ellipta 200mcg 1 inhalation daily
--	--	--

THEOPHYLLINE

Proposed Interchange Table	TO	Proposed Interchange Table
Theo-24 capsule, 400mg once daily	↔	Theophylline CR 200mg every 12 hours
Theo-24 capsule, 600mg once daily	↔	Theophylline CR 300mg every 12 hours

BISPHOSPHONATE DERIVATIVE

Proposed Interchange Table	TO	Proposed Interchange Table
Ibandronate(Boniva®) 150mg Q30 days Alendronate (Binosto®) 70mg Effervescent Tablet Risedronate IR 35mg once weekly Risedronate DR 35mg once weekly Risedronate DR 150mg once monthly Alendronate 70mg once weekly	↔	Ibandronate 150mg Q30 days Alendronate (Binosto®) 70mg Effervescent Tablet Risedronate IR 35mg once weekly Risedronate DR 35mg once weekly Risedronate DR 150mg once monthly Alendronate 70mg once weekly

CORTICOSTEROIDS, TOPICAL

Proposed Interchange Table	TO	Proposed Interchange Table
Trianex ® 0.05% ointment (same sig) Sila III Pak® (same sig) Tritocin® 0.05% (same sig) Triderm® 0.1% (same sig) Triamcinolone 0.1% ointment (same sig)	↔	Trianex ® 0.05% ointment (same sig) Sila III Pak® (same sig) Tritocin® 0.05% (same sig) Triderm® 0.1% (same sig) Triamcinolone 0.1% ointment (same sig)

CORTICOSTEROIDS, TOPICAL

Proposed Interchange Table	TO	Proposed Interchange Table
Desonide 0.05% ointment (same sig) Desonide 0.05% cream (same sig) Desonide 0.05% gel (same sig) Verdeso® 0.05% foam (same sig) Desonide 0.05% lotion (same sig)	↔	Desonide 0.05% ointment (same sig) Desonide 0.05% cream (same sig) Desonide 0.05% gel (same sig) Verdeso® 0.05% foam (same sig) Desonide 0.05% lotion (same sig)

VAGINAL PRODUCTS

Proposed Interchange Table	TO	Proposed Interchange Table
Premarin 0.625mg Vaginal Cream (any sig) Estrace 0.01% Vaginal Cream (any sig) Estradiol 0.01% Vaginal Cream (any sig)	↔	Premarin 0.625mg Vaginal Cream (any sig) Estrace 0.01% Vaginal Cream (any sig) Estradiol 0.01% Vaginal Cream, 0.5gm PV three times weekly

INTERFERON BETA 1B

Proposed Interchange Table	TO	Proposed Interchange Table
Betaseron® 0.3mg kit (250mcg)	↔	Extavia® 0.3mg kit (250mcg)

GLATIRAMER ACETATE

Proposed Interchange Table	TO	Proposed Interchange Table
Copaxone® 20mg SC QD Glatopa® 20mg SC QD Glatiramer 20mg SC QD	↔	Copaxone® 20mg SC QD Glatopa® 20mg SC QD Glatiramer 20mg SC QD

ACE INHIBITORS

Proposed Interchange Table	TO	Proposed Interchange Table
Fosinopril 40mg/d; Quinapril 40mg/d; Lisinopril 40mg/d	↔	Fosinopril 40mg/d; Quinapril 40mg/d; Lisinopril 40mg/d
Fosinopril 20mg/d; Moexipril 15mg/d; Perindopril 8mg/d; Quinapril 20mg/d; Ramipril 10mg/d; Trandolapril 4mg/d; Lisinopril 20mg/d	↔	Fosinopril 20mg/d; Moexipril 15mg/d; Perindopril 8mg/d; Quinapril 20mg/d; Ramipril 10mg/d; Trandolapril 4mg/d; Lisinopril 20mg/d
Fosinopril 10mg/d; Moexipril 7.5mg/d; Perindopril 4mg/d; Quinapril 10mg/d; Ramipril 5mg/d; Trandolapril 2mg/d; Lisinopril 10mg/d	↔	Fosinopril 10mg/d; Moexipril 7.5mg/d; Perindopril 4mg/d; Quinapril 10mg/d; Ramipril 5mg/d; Trandolapril 2mg/d; Lisinopril 10mg/d

Quinapril 5mg/d; Ramipril 2.5mg/d; Trandolapril 1mg/d; Lisinopril 5mg/d	↔	Quinapril 5mg/d; Ramipril 2.5mg/d; Trandolapril 1mg/d; Lisinopril 5mg/d
Ramipril 1.25mg/d; Lisinopril 2.5mg/d	↔	Ramipril 1.25mg/d; Lisinopril 2.5mg/d

ANGIOTENSIN RECEPTOR BLOCKER

Proposed Interchange Table	TO	Proposed Interchange Table
Candesartan 4mg; Irbesartan 75mg; Telmisartan 20mg; Olmesartan 10mg (2 x 5 mg); Valsartan 40mg; Losartan 25mg	↔	Candesartan 4mg; Irbesartan 75mg; Telmisartan 20mg; Olmesartan 10mg (2 x 5 mg); Valsartan 40mg; Losartan 25mg
Candesartan 8mg; Irbesartan 150mg; Telmisartan 40mg; Olmesartan 20mg; Azilsartan 40mg; Valsartan 80mg; Losartan 50mg	↔	Candesartan 8mg; Irbesartan 150mg; Telmisartan 40mg; Olmesartan 20mg; Azilsartan 40mg; Valsartan 80mg; Losartan 50mg
Candesartan 16mg; Irbesartan 300mg; Telmisartan 80mg; Olmesartan 40mg; Azilsartan 80mg; Valsartan 160mg; Losartan 100mg	↔	Candesartan 16mg; Irbesartan 300mg; Telmisartan 80mg; Olmesartan 40mg; Azilsartan 80mg; Valsartan 160mg; Losartan 100mg
Candesartan/HCTZ 16/12.5mg	↔	Losartan/HCTZ 100/12.5mg
Irbesartan/HCTZ 150/12.5mg	↔	Losartan/HCTZ 50/12.5mg
Irbesartan/HCTZ 300/12.5mg	↔	Losartan/HCTZ 100/12.5mg
Irbesartan/HCTZ 300/25mg	↔	Losartan/HCTZ 100/25mg
Telmisartan/HCTZ 40/12.5mg	↔	Losartan/HCTZ 50/12.5mg
Telmisartan/HCTZ 80/12.5mg	↔	Losartan/HCTZ 100/12.5mg
Telmisartan/HCTZ 80/25mg	↔	Losartan/HCTZ 100/25mg
Eprosartan/HCTZ 600/12.5mg	↔	Losartan/HCTZ 100/12.5mg

Eprosartan/HCTZ 600/25mg	↔	Losartan/HCTZ 100/25mg
Olmesartan/HCTZ 20/12.5mg	↔	Losartan/HCTZ 50/12.5mg
Olmesartan/HCTZ 40/12.5mg	↔	Losartan/HCTZ 100/12.5mg
Olmesartan/HCTZ 40/25mg	↔	Losartan/HCTZ 100/25mg
Azilsartan/Chlorthalidone 40/12.5mg	↔	Losartan/HCTZ 50/12.5mg
Valsartan/HCTZ 80/12.5mg	↔	Losartan/HCTZ 50/12.5mg
Valsartan/HCTZ 160 /12.5mg	↔	Losartan/HCTZ 100/12.5mg
Valsartan/ HCTZ (Diovan HCT®) 160/25mg	↔	Losartan/HCTZ 100/25mg

DILTIAZEM CD (Generic)

Proposed Interchange Table (any combination of strengths)	TO	Proposed Interchange Table
Diltiazem LA (Cardizem LA®) 120mg	↔	Diltiazem CD 120mg
Diltiazem LA (Cardizem LA®) 180mg	↔	Diltiazem CD 180mg
Diltiazem LA (Cardizem LA®) 240mg	↔	Diltiazem CD 240mg
Diltiazem LA (Cardizem LA®) 300mg	↔	Diltiazem CD 300mg
Diltiazem LA (Cardizem LA®) 360mg	↔	Diltiazem CD 360mg
Diltiazem ER (Matzim LA®) 180mg	↔	Diltiazem CD 180mg
Diltiazem ER (Matzim LA®) 240mg	↔	Diltiazem CD 240mg
Diltiazem ER (Matzim LA®) 300mg	↔	Diltiazem CD 300mg
Diltiazem ER (Matzim LA®) 360mg	↔	Diltiazem CD 360mg

CARVEDILOL

Proposed Interchange Table	TO	Proposed Interchange Table
Carvedilol CR (Coreg CR®) 10mg once daily	↔	Carvedilol 3.125mg twice daily
Carvedilol CR (Coreg CR®) 20mg once daily	↔	Carvedilol 6.25mg twice daily

Carvedilol CR (Coreg CR®) 40mg once daily	↔	Carvedilol 12.5mg twice daily
Carvedilol CR (Coreg CR®) 80mg once daily	↔	Carvedilol 25mg twice daily

HMG CO-A REDUCTASE INHIBITOR

Proposed Interchange Table	TO	Proposed Interchange Table
Rosuvastatin (Crestor®; Ezallor) 5mg/day	↔	Atorvastatin 10mg/day
Rosuvastatin (Crestor®; Ezallor) 10mg/day	↔	Atorvastatin 20mg/day
Rosuvastatin (Crestor®; Ezallor) 20mg/day	↔	Atorvastatin 40mg/day
Rosuvastatin (Crestor®; Ezallor) 40mg/day	↔	Atorvastatin 80mg/day
Lovastatin ER (Altoprev®) 20mg/day	↔	Atorvastatin 10mg/day
Lovastatin ER (Altoprev®) 40mg/day	↔	Atorvastatin 10mg/day
Lovastatin ER (Altoprev®) 60mg/day	↔	Atorvastatin 20mg/day
Fluvastatin ER (Lescol XL®) 80mg/day	↔	Atorvastatin 10mg/day
Pitavastin (Livalo; Zypitamag) 1mg	↔	Atorvastatin 10mg/day
Pitavastin (Livalo; Zypitamag) 2mg	↔	Atorvastatin 10mg/day
Pitavastin (Livalo; Zypitamag) 4mg	↔	Atorvastatin 20mg/day
Ezetimibe/Simvastatin (Vytorin®) 10mg/10mg	↔	Atorvastatin 20mg/day
Ezetimibe/Simvastatin (Vytorin®) 10mg/20mg	↔	Atorvastatin 40mg/day
Ezetimibe/Simvastatin (Vytorin®) 10mg/40mg	↔	Atorvastatin 80mg/day
Ezetimibe/Simvastatin (Vytorin®) 10mg/80mg	↔	Atorvastatin 80mg/day

FIBRATES

Proposed Interchange Table	TO	Proposed Interchange Table
Fenofibrate capsules 43mg	↔	Fenofibrate capsules 67mg
Fenofibrate capsules 130mg	↔	Fenofibrate capsules 200mg
Fenofibric acid DR (Trilipix®) capsules 45mg	↔	Fenofibrate capsules 67mg
Fenofibric acid DR (Trilipix®) capsules 135mg	↔	Fenofibrate capsules 200mg
Fenofibrate (Lipofen®) capsules 50mg	↔	Fenofibrate capsules 67mg
Fenofibrate (Lipofen®) capsules 150mg	↔	Fenofibrate capsules 200mg

Fenofibrate (Fenoglide®) tablets 40mg	↔	Fenofibrate capsules 67mg
Fenofibrate (Fenoglide®) tablets 120mg	↔	Fenofibrate capsules 200mg
Fenofibric acid (Fibricor®) tablets 35mg	↔	Fenofibrate capsules 67mg
Fenofibric acid (Fibricor®) tablets 105mg	↔	Fenofibrate capsules 67mg
Triglide® tablets 160mg	↔	Fenofibrate capsules 200mg
Antara® capsules 30mg	↔	Fenofibrate capsules 67mg
Antara® capsules 90mg	↔	Fenofibrate capsules 67mg

OMEGA 3 FATTY ACID

Proposed Interchange Table	TO	Proposed Interchange Table
Vascepa® (same dose and frequency)	↔	Lovaza® (same dose and frequency)

VITAMIN D ANALOG

Proposed Interchange Table (any combination of strengths)	TO	Proposed Interchange Table
Doxercalciferol (Hectorol®) 1mcg	↔	Paricalcitol (Zemplar®) 1mcg
Doxercalciferol (Hectorol®) 1mcg + 1mcg	↔	Paricalcitol (Zemplar®) 2mcg
Doxercalciferol (Hectorol®) 1mcg + 1mcg + 1mcg + 1mcg	↔	Paricalcitol (Zemplar®) 4mcg

MEGESTROL ACETATE SUSPENSION

Proposed Interchange Table	TO	Proposed Interchange Table
Megestrol acetate extra strength (Megace ES®) 625mg/5 mL	↔	Generic megestrol acetate 800mg/20 mL, 400mg BID with food

COLONY STIMULATING FACTORS – TBO-FILGRASTIM (GRANIX™)

Proposed Equivalency Table	TO	Proposed Equivalency Table
Neupogen®, Nivestym® 300mcg/0.5 mL Syringe OR Vial SubQ administration only; Granix® 300 mcg/0.5 mL syringe SubQ administration only;	↔	Neupogen®, Nivestym® 300mcg/0.5 mL Syringe OR Vial SubQ administration only; Granix® 300 mcg/0.5 mL syringe SubQ

Zarxio® 300mcg/0.5 mL syringe SubQ administration only		administration only; Zarxio® 300mcg/0.5 mL syringe SubQ administration only
Neupogen®, Nivestym® 480 mcg/0.8 mL Syringe OR Vial SubQ administration only; Neupogen®, Nivestym® 480 mcg/1.6 mL vial SubQ administration only Granix® 480 mcg/0.8 mL syringe SubQ administration only Zarxio® 480mcg/0.8 mL syringe SubQ administration only	↔	Neupogen®, Nivestym® 480 mcg/0.8 mL Syringe OR Vial SubQ administration only; Neupogen®, Nivestym® 480 mcg/1.6 mL vial SubQ administration only Granix® 480 mcg/0.8 mL syringe SubQ administration only Zarxio® 480mcg/0.8 mL syringe SubQ administration only

FLUOXETINE CAPSULE

Proposed Interchange Table	TO	Proposed Interchange Table
Fluoxetine tablets all strengths	↔	Fluoxetine capsules (mg for mg basis)

VENLAFAXINE XR CAPSULE INTERCHANGE

Proposed Interchange Table	TO	Proposed Interchange Table
Venlafaxine ER 37.5mg tablets	↔	Venlafaxine XR 37.5mg capsules
Venlafaxine ER 75mg tablets	↔	Venlafaxine XR 75mg capsules
Venlafaxine ER 150mg tablets	↔	Venlafaxine XR 150mg capsules

QUETIAPINE ER

Proposed Interchange Table	TO	Proposed Interchange Table
Quetiapine ER 50mg tab	↔	Quetiapine 50mg tab
Quetiapine ER 200mg tab	↔	Quetiapine 200mg tab
Quetiapine ER 300mg tab	↔	Quetiapine 300mg tab
Quetiapine ER 400mg tab	↔	Quetiapine 400mg tab

SELECTIVE SEROTONIN REUPTAKE INHIBITORS

Proposed Interchange Table	TO	Proposed Interchange Table
Pexeva® (same dose and frequency)	↔	Paroxetine (same dose and frequency)

Brisdelle® 7.5mg once daily	↔	Paroxetine 10mg once daily
-----------------------------	---	----------------------------

DULOXETINE DELAYED RELEASE CAPSULES

Proposed Interchange Table	TO	Proposed Interchange Table
Duloxetine Delayed Release capsules (same total dose/once daily) Drizalma Capsule Delayed Release Sprinkles ® (any dose/frequency)	↔	Duloxetine Delayed Release capsules (same total dose/once daily) Drizalma Capsule Delayed Release Sprinkles (any dose/frequency)

BUPROPRION

Proposed Interchange Table	TO	Proposed Interchange Table
Auvelity 45/105 ER® once daily	↔	Bupropion ER 150mg once daily

DESVENLAFAXINE

Proposed Interchange Table	TO	Proposed Interchange Table
Pristiq (same dose and frequency)	↔	Desvenlafaxine ER (same dose and frequency)

GUANYLATE CYCLASE-C AGONISTS

Indication	Proposed Interchange Table	TO	Proposed Interchange Table
*Chronic Idiopathic Constipation (CIC)	LinzeSS® 145mcg once daily 30min. prior to breakfast on an empty stomach. Swallow whole; Trulance® 3mg once daily; Amitiza 24 mcg twice daily	↔	LinzeSS® 145mcg once daily 30 min. prior to breakfast on an empty stomach. Swallow whole; Trulance® 3mg once daily Amitiza 24 mcg twice daily
*Irritable Bowel Syndrome	LinzeSS® 290mcg once daily 30 min. prior to breakfast on an empty stomach. Swallow whole; Trulance® 3mg once daily Amitiza 8 mcg twice daily	↔	LinzeSS® 290mcg once daily 30 min. prior to breakfast on an empty stomach. Swallow whole; Trulance® 3mg once daily Amitiza 8 mcg twice daily

INFLAMMATORY BOWEL DISEASE

Proposed Interchange Table	TO	Proposed Interchange Table
Pentasa® (same dose and frequency)	↔	Mesalamine ER 500mg (same dose and frequency)

ONDANSETRON

Proposed Interchange Table	TO	Proposed Interchange Table
Ondansetron ODT 4mg; Ondansetron oral soluble film (Zuplenz®) 4mg; Prochlorperazine maleate tab 5mg; Ondansetron 4mg	↔	Ondansetron ODT 4mg; Ondansetron oral soluble film (Zuplenz®) 4mg; Prochlorperazine maleate tab 5mg Ondansetron 4mg
Ondansetron ODT 8mg; Ondansetron oral soluble film (Zuplenz®) 8mg; Prochlorperazine maleate tab 10mg; Ondansetron 8mg	↔	Ondansetron ODT 8mg; Ondansetron oral soluble film (Zuplenz®) 8mg; Prochlorperazine maleate tab 10mg Ondansetron 8mg

DOXYCYCLINE

Proposed Interchange Table	TO	Proposed Interchange Table
Doxycycline hyclate DR 50mg tablets	↔	Doxycycline 50mg caps
Doxycycline hyclate DR 75mg tablets	↔	Doxycycline 75mg caps
Doxycycline hyclate DR 100mg tablets	↔	Doxycycline 100mg caps
Doxycycline hyclate DR 150mg tablets	↔	Doxycycline 150mg caps
Doxycycline hyclate DR 200mg tablets	↔	Doxycycline 100mg caps x 2 (200 mg)

CEPHALEXIN

Proposed Interchange Table	TO	Proposed Interchange Table
Cephalexin tablets (all strengths) Cephalexin capsules (all strengths)	↔	Cephalexin tablets (all strengths) Cephalexin capsules (all strengths)

ORAL VANCOMYCIN

Proposed Interchange Table	TO	Proposed Interchange Table
Firvanq vancomycin oral solution Vancomycin (Vancocin) capsules First Vancomycin Solution	↔	Firvanq vancomycin oral solution Vancomycin (Vancocin) capsules First Vancomycin Solution

URINARY ANTISEPTIC

Proposed Interchange Table	TO	Proposed Interchange Table
Nitrofurantoin 25mg/5mL suspension	↔	Nitrofurantoin (Macrochantin) capsules (same dose and frequency)

NMDA RECEPTOR ANTAGONIST

Proposed Interchange Table	TO	Proposed Interchange Table
Memantine XR 7mg once daily	↔	Memantine IR 5mg twice daily
Memantine XR 14mg once daily	↔	Memantine IR 5mg twice daily
Memantine XR 21mg once daily	↔	Memantine IR 5mg in the morning and 10 mg in the evening
Memantine XR 28mg once daily	↔	Memantine IR 10mg twice daily

ANTIGOUT AGENTS

Proposed Interchange Table	TO	Proposed Interchange Table
Febuxostat 40mg daily	↔	Allopurinol 200mg daily
Febuxostat 80mg daily	↔	Allopurinol 300mg daily

ANTIFUNGALS, TOPICAL

Proposed Interchange Table	TO	Proposed Interchange Table
Ketoconazole 2% Cream	↔	Clotrimazole 1% Cream
Econazole 1% Cream	↔	Clotrimazole 1% Cream
Miconazole 2% cream	↔	Clotrimazole 1% Cream
Nystatin/Triamcinolone Cream	↔	Lotrisone (clotrimazole/betamethasone) cream

ANTIFUNGALS, TOPICAL

Proposed Interchange Table	TO	Proposed Interchange Table
----------------------------	----	----------------------------

Ketoconazole Foam 2% (Same sig)	↔	Ketoconazole Shampoo 2% (same sig)
---------------------------------	---	------------------------------------

HYDROCORTISONE TOPICAL

Proposed Interchange Table	TO	Proposed Interchange Table
Hydrocortisone 1% lotion (same directions) Ala Scalp 2% Lotion	↔	Hydrocortisone 1% lotion (same directions) Ala Scalp 2% Lotion
Hydrocortisone Topical (Valerate/Butyrate)	↔	Hydrocortisone 2.5% Cream (same directions)

ACYCLOVIR TOPICAL

Proposed Interchange Table	TO	Proposed Interchange Table
Acyclovir 5% Ointment (same directions) Acyclovir 5% Cream (same directions)	↔	Acyclovir 5% Ointment (same directions) Acyclovir 5% Cream (same directions)

ANTISEBORRHEIC TOPICALS

Proposed Interchange Table	TO	Proposed Interchange Table
Ovace plus 10% Cream/Gel/Shampoo Liquid wash (same sig) Ovace 9.8% Foam/Lotion	↔	Sodium Sulfacetamide 10% lotion (same sig)

DERMATOLOGICAL

Proposed Interchange Table	TO	Proposed Interchange Table
Epiceram (same sig)	↔	Dermaseptin (same sig)

LIDOCAINE PATCH

Proposed Interchange Table	TO	Proposed Interchange Table
Lidocaine 5% patch	↔	Lidocaine 4% patch

EPINEPHERINE

Proposed Interchange Table	TO	Proposed Interchange Table
	↔	

EpiPen 0.3mg/0.3ml; Auvi-Q 0.3mg/0.3ml; Adrenacllick 0.3mg/0.3ml; Epinephrine 0.3mg/0.3ml	↔	EpiPen 0.3mg/0.3ml; Auvi-Q 0.3mg/0.3ml; Adrenacllick 0.3mg/0.3ml; Epinephrine 0.3mg/0.3ml
EpiPen Jr 0.15mg	↔	Epinephrine 0.15mg

PHOSPHATE BINDERS

Proposed Interchange Table	TO	Proposed Interchange Table
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 1 tab once daily	↔	Calcium Acetate 667mg, 1 cap daily with meals
Sevelamer Carbonate or HCL(Renvela® or Renagel®) 800mg, 2 tabs once daily	↔	Calcium Acetate 667mg, 2 caps daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 3 tabs once daily	↔	Calcium Acetate 667mg, 3 caps daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 4 tabs once daily	↔	Calcium Acetate 667mg, 4 caps daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 1 tab twice daily	↔	Calcium Acetate 667mg, 1 cap twice daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 2 tabs twice daily	↔	Calcium Acetate 667mg, 2 caps twice daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 3 tabs twice daily	↔	Calcium Acetate 667mg, 3 caps twice daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 4 tabs twice daily	↔	Calcium Acetate 667mg, 4 caps twice daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 1 tab three times daily OR Auryxia® 210mg, 1 tab three times daily with meals	↔	Calcium Acetate 667mg, 1 cap three times daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 2 tabs three times daily OR Auryxia® 210mg, 2 tabs three times daily with meals	↔	Calcium Acetate 667mg, 2 caps three times daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 3 tabs three times daily	↔	Calcium Acetate 667mg, 3 caps three times daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 4 tabs three times daily	↔	Calcium Acetate 667mg, 4 caps three times daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 1 tab four times daily	↔	Calcium Acetate 667mg, 1 cap four times daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 2 tabs four times daily	↔	Calcium Acetate 667mg, 2 caps four times daily with meals
Sevelamer Carbonate or HCL (Renvela® or Renagel®) 800mg, 3 tabs four times daily	↔	Calcium Acetate 667mg, 3 caps four times daily with meals

Velphoro® 500mg Chewable Tablet (any dose/frequency)	↔	Velphoro® 500mg Chewable Tablet (any dose/frequency)
Lanthanum Carbonate 500mg Chew Tab (same dose and frequency)		Lanthanum Carbonate 500mg Chew Tab (same dose and frequency)

COLCHICINE

Proposed Interchange Table	TO	Proposed Interchange Table
Colcrys 0.6mg Mitigare 0.6mg Colchicine 0.6mg	↔	Colcrys 0.6mg Mitigare 0.6mg Colchicine 0.6mg

CHOLINESTERASE INHIBITOR

Proposed Interchange Table	TO	Proposed Interchange Table
Rivastigmine 1.5mg capsules BID Rivastigmine 3mg capsules BID Galantamine 4mg BID Galantamine SR 8mg QD Donepezil 5mg QHS	↔	Rivastigmine 1.5mg capsules BID Rivastigmine 3mg capsules BID Galantamine 4mg BID Galantamine SR 8mg QD Donepezil 5mg QHS
Rivastigmine 4.5mg capsules BID Rivastigmine 6mg capsules BID Galantamine 8mg BID Galantamine 12mg BID Galantamine SR 16mg QD Galantamine SR 24mg QD Donepezil 10mg QHS	↔	Rivastigmine 4.5mg capsules BID Rivastigmine 6mg capsules BID Galantamine 8mg BID Galantamine 12mg BID Galantamine SR 16mg QD Galantamine SR 24mg QD Donepezil 10mg QHS

POTASSIUM CHLORIDE

Proposed Interchange Table	TO	Proposed Interchange Table
Potassium Chloride 8mEq tablets (same sig) Potassium Chloride 8mEq capsules (same sig)	↔	Potassium Chloride 8mEq tablets (same sig) Potassium Chloride 8mEq capsules (same sig)
Potassium Chloride 10mEq tablets (same sig) Potassium Chloride 10mEq capsules (same sig)	↔	Potassium Chloride 10mEq tablets (same sig) Potassium Chloride 10mEq capsules (same sig)
Klor-Con Powder Packet 20mEq Klor-Con Powder Packet 25mEq Potassium Chloride Powder Packet 20mEq	↔	Klor-Con Powder Packet 20mEq Klor-Con Powder Packet 25mEq Potassium Chloride Powder Packet 20mEq

POTASSIUM REMOVING AGENTS

Proposed Interchange Table	TO	Proposed Interchange Table
Veltassa® 8.4 grams (same frequency)	↔	Lokelma® 5 grams (same Frequency)

HYPOGLYCEMIA

Proposed Interchange Table	TO	Proposed Interchange Table
Baqsimi Nasal Powder® Gvoke PFS Glucagen Hypokit Glucagon	↔	Baqsimi Nasal Powder Gvoke PFS Glucagen Hypokit Glucagon

AMANTADINE

Proposed Interchange Table	TO	Proposed Interchange Table
Gocovri® capsule 68.5mg once daily Gocovri® capsule 137mg once daily Osmolex ER® 129mg once daily Amantadine 100mg BID	↔	Gocovri® capsule 68.5mg once daily Gocovri® capsule 137mg once daily Osmolex ER® 129mg once daily Amantadine 100mg BID
Amantadine Capsules (same dose and directions) Amantadine Tablets (same dose and directions)		Amantadine Capsules (same dose and directions) Amantadine Tablets (same dose and directions)

BONE DENSITY REGULATORS

Proposed Interchange Table	TO	Proposed Interchange Table
Denosumab (Prolia®) 60mg SubQ every 6 months Teriparatide (Forteo®) 20mcg SubQ once daily Teriparatide 20mcg SubQ once daily Abaloparatide (Tymlos®) 80mcg SubQ QD	↔	Denosumab (Prolia®) 60mg SubQ every 6 months

IRON FORMULATIONS

Proposed Interchange Table	TO	Proposed Interchange Table
Ferrex 150 Forte Caps (polysaccharide iron-folic acid-Vit B12) same frequency Niferex Tablet	↔	Ferrex 150 Forte Caps (polysaccharide iron-folic acid-Vit B12) same frequency Niferex Tablet

Ferrous Sulfate Elixir 220mg/5mL (same directions) Ferrous Sulfate Syrup 300mg/5mL		Ferrous Sulfate Elixir 220mg/5mL (same directions) Ferrous Sulfate Syrup 300mg/5mL
---	---	---

LAXATIVES

Proposed Interchange Table	TO	Proposed Interchange Table
Lactulose Solution 10gm/15mL, 15mL(10grams) daily Kristalose Packets 10 grams, dissolve in water and drink daily Lactulose Packets 10 grams, dissolve in water and drink daily		Lactulose Solution 10gm/15mL, 15mL(10grams) daily Kristalose Packets 10 grams, dissolve in water and drink daily Lactulose Packets 10 grams, dissolve in water and drink daily
Lactulose Solution 10gm/15mL, 30mL(20grams) daily Kristalose Packets 20 grams, dissolve in water and drink daily		Lactulose Solution 10gm/15mL, 30mL(20grams) daily Kristalose Packets 20 grams, dissolve in water and drink daily

NASAL ANTIHISTAMINE

Proposed Interchange Table	TO	Proposed Interchange Table
Azelastine HCL Nasal Spray 0.1% Azelastine HCL Nasal Spray 0.15%		Azelastine HCL Nasal Spray 0.1% (same directions) Azelastine HCL Nasal Spray 0.15%

THYROID HORMONE

Proposed Interchange Table	TO	Proposed Interchange Table
Levothyroxine Tablets Levothyroxine Capsules (Tirostint®)		Levothyroxine Tablets (same directions) Levothyroxine Capsules (Tirostint®)

VMAT2 INHIBITORS

Proposed Interchange Table	TO	Proposed Interchange Table
Tetrabenazine 12.5mg once daily Austedo ® 6mg once daily		Tetrabenazine 12.5mg once daily Austedo ® 6mg once daily
Tetrabenazine 25mg once daily		Tetrabenazine 25mg once daily

Austedo® 6mg twice daily		Austedo® 6mg twice daily
Tetrabenazine 37.5mg once daily Austedo® 9mg twice daily	↔	Tetrabenazine 37.5mg once daily Austedo® 9mg twice daily
Tetrabenazine 50mg once daily Austedo® 12mg twice daily	↔	Tetrabenazine 50mg once daily Austedo® 12mg twice daily
Tetrabenazine 62.5mg once daily Austedo® 15mg twice daily	↔	Tetrabenazine 62.5mg once daily Austedo® 15mg twice daily
Tetrabenazine 75mg once daily Austedo® 18mg twice daily	↔	Tetrabenazine 75mg once daily Austedo® 18mg twice daily
Tetrabenazine 87.5mg once daily Austedo® 21mg twice daily	↔	Tetrabenazine 87.5mg once daily Austedo® 21mg twice daily
Tetrabenazine 100mg once daily Austedo® 24mg twice daily	↔	Tetrabenazine 100mg once daily Austedo® 24mg twice daily
Tetrabenazine 12.5mg BID Ingrezza® 40mg once daily	↔	Tetrabenazine 12.5mg BID Ingrezza® 40mg once daily
Tetrabenazine 25mg QAM and 12.5mg QHS Ingrezza® 60mg once daily	↔	Tetrabenazine 25mg QAM, 12.5mg QHS Ingrezza® 60mg once daily
Tetrabenazine 25mg BID Ingrezza® 80mg once daily	↔	Tetrabenazine 25mg BID Ingrezza® 80mg once daily

METOPROLOL

Proposed Interchange Table	TO	Proposed Interchange Table
Kaspargo Sprinkle® 25mg once daily Metoprolol Tartrate 12.5mg BID	↔	Kaspargo Sprinkle® 25mg once daily Metoprolol Tartrate 12.5mg BID
Kaspargo Sprinkle® 50mg once daily Metoprolol Tartrate 25mg BID	↔	Kaspargo Sprinkle® 50mg once daily Metoprolol Tartrate 25mg BID
Kaspargo Sprinkle® 100mg once daily Metoprolol Tartrate 50mg BID	↔	Kaspargo Sprinkle® 100mg once daily Metoprolol Tartrate 50mg BID
Kaspargo Sprinkle® 200mg once daily Metoprolol Tartrate 100mg BID	↔	Kaspargo Sprinkle® 200mg once daily Metoprolol Tartrate 100mg BID

SOTALOL

Proposed Interchange Table	TO	Proposed Interchange Table
Sotalol 80mg (same sig) Sotalol AF 80mg (same sig)	↔	Sotalol 80mg (same sig) Sotalol AF 80mg (same sig)

Sotylize® 5mg/ml (same sig)		Sotylize® 5mg/ml (same sig)
Sotalol 120mg (same sig) Sotalol AF 120mg (same sig) Sotylize® 5mg/ml (same sig)	↔	Sotalol 120mg (same sig) Sotalol AF 120mg (same sig) Sotylize® 5mg/ml (same sig)
Sotalol 160mg (same sig) Sotalol AF 160mg (same sig) Sotylize® 5mg/ml (same sig)	↔	Sotalol 160mg (same sig) Sotalol AF 160mg (same sig) Sotylize® 5mg/ml (same sig)

TIZANIDINE

Proposed Interchange Table	TO	Proposed Interchange Table
Tizanidine capsules (same dose/same sig) Tizanidine tablets (same dose/same sig)	↔	Tizanidine capsules (same dose/same sig) Tizanidine tablets (same dose/same sig)

URINARY ANALGESICS

Proposed Interchange Table	TO	Proposed Interchange Table
Pyridium® 100mg BID-TID Elmiron® 100mg TID Phenazopyridine 100mg BID-TID	↔	Pyridium® 100mg BID-TID Elmiron® 100mg TID Phenazopyridine 100mg BID-TID

PULMONARY HYPERTENSION

Proposed Interchange Table	TO	Proposed Interchange Table
Sildenafil tab 20mg TID Revatio® 20mg TID Sildenafil Suspension 10mg/ml, 2mL TID	↔	Sildenafil tab 20mg TID Revatio® 20mg TID Sildenafil Suspension 10mg/ml, 2mL TID

ANTISPASMODICS

Proposed Interchange Table	TO	Proposed Interchange Table
Glycopyrrolate 1mg tab (same dose/frequency) Glycopyrrolate 1mg/5mL oral soln (same dose/freq)	↔	Glycopyrrolate 1mg tab (same dose/frequency) Glycopyrrolate 1mg/5mL oral soln (same dose/freq)

TIMOLOL OPHTHALMIC

Proposed Interchange Table	TO	Proposed Interchange Table
Betimol® 0.25% Soln; same sig Timolol® 0.25% Soln; same sig	↔	Betimol® 0.25% Soln; same sig Timolol® 0.25 Soln; same sig

Betimol® 0.5% Soln; same sig Timoptic XE® 0.5% Gel; same sig Timolol® 0.5% Soln; same sig	↔	Betimol® 0.5% Soln; same sig Timoptic XE® 0.5% Gel; same sig Timolol® 0.5% Soln; same sig
---	---	--

BETA BLOCKER COMBINATION, OPTHALMIC

Proposed Interchange Table	TO	Proposed Interchange Table
Cosopt PF (same sig)	↔	Dorzolamide/Timolol (same sig)

ALPHA AGONIST, OPTHALMIC

Proposed Interchange Table	TO	Proposed Interchange Table
Brimonidine (Alphagan P®) 0.1%, 0.15%	↔	Brimonidine tartrate 0.2%

PROSTAGLANDIN ANALOGUE, OPTHALMIC

Proposed Interchange Table	TO	Proposed Interchange Table
Bimatoprost -any dose Tafluprost (Zioptan®) any dose Travatan Z® (Travaprost) any dose Vyzulta 0.024%® any dose	↔	Latanoprost 1 drop into affected eye(s) QHS

Carbonic Anhydrase Inhibitor Ophthalmic

Proposed Interchange Table	TO	Proposed Interchange Table
Azopt® ophthalmic suspension	↔	Dorzolamide 2% (Trusopt®) ophthalmic solution (same sig as Azopt)

ANTIHISTAMINE, OPTHALMIC

Proposed Interchange Table	TO	Proposed Interchange Table
Pataday 0.2% solution one drop to affected eye once daily; Patanol® 0.1% solution; Bepreve® 1.5% solution; Azelastine 0.05% solution: one drop to affected eye twice daily; Ketotifen 0.025% ophthalmic solution one drop to affected eye twice daily	↔	Pataday 0.2% solution one drop to affected eye once daily; Patanol® 0.1% solution; Bepreve® 1.5% solution; Azelastine 0.05% solution: one drop to affected eye twice daily; Ketotifen 0.025% ophthalmic solution one drop to affected eye twice daily

INTERGRIN ANTAGONIST

Proposed Interchange Table	TO	Proposed Interchange Table
Xiidra®, 1 drop into affected eye every 12 hours	↔	Artificial Tears, 2 drops into affected eye three times daily

CORTICOSTEROID / AMINOGLYCOSIDE COMBINATION, OPHTHALMIC

Proposed Interchange Table	TO	Proposed Interchange Table
Tobradex® 0.3%-0.1% ophthalmic ointment	↔	Neomycin, polymyxin B, dexamethasone ophthalmic ointment (generic Maxitrol®)

ANTICONVULSANT (OXCARBAZEPINE)

Proposed Interchange Table	TO	Proposed Interchange Table
Oxcarbazepine 75mg BID Oxtellar XR® 150mg QD	↔	Oxcarbazepine 75mg BID Oxtellar XR® 150mg QD
Oxcarbazepine 150mg BID Oxtellar XR® 300mg QD	↔	Oxcarbazepine 150mg BID Oxtellar XR® 300mg QD
Oxcarbazepine 300mg BID Oxtellar XR® 600mg QD	↔	Oxcarbazepine 300mg BID Oxtellar XR® 600mg QD

ANTICONVULSANT (TOPAMAX)

Proposed Interchange Table	TO	Proposed Interchange Table
Topirmate 25mg BID Qudexy XR® 50mg QD Trokendi XR® 50mg QD	↔	Topirmate 25mg BID Qudexy XR® 50mg QD Trokendi XR® 50mg QD
Topirmate 50mg BID Qudexy XR® 100mg QD Trokendi XR® 100mg QD	↔	Topirmate 50mg BID Qudexy XR® 100mg QD Trokendi XR® 100mg QD
Topirmate 100mg BID Qudexy XR® 200mg QD Trokendi XR® 200mg QD	↔	Topirmate 100mg BID Qudexy XR® 200mg QD Trokendi XR® 200mg QD

SIADH

Proposed Interchange Table	TO	Proposed Interchange Table
Demeclocycline 150mg QID Samsca® 15mg once daily	↔	Demeclocycline 150mg QID Samsca® 15mg once daily

Ure-NA 15 gram packet once daily		Ure-NA 15 gram packet once daily
----------------------------------	--	----------------------------------

FOLATE ANALOG

Proposed Interchange Table	TO	Proposed Interchange Table
Trexall®	↔	Methotrexate (same dose and frequency)

OPIATE ANTAGONIST

Proposed Interchange Table	TO	Proposed Interchange Table
Narcan Nasal Spray	↔	Naloxone 0.4mg/ml inj